



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appl. No. : 10/666,024 Confirmation No. : 7952
Appellant : Reid Hayhow
Filed : 9/18/2003
TC/A.U. : 2138
Examiner : Phung M. Chung

Docket No. : 10030557-1

Mail Stop Appeal Brief – Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

APPEAL BRIEF

Table of Contents

Section:

Table of Contents	i
Real Party in Interest	2
Related Appeals and Interferences	3
Status of Claims.....	4
Status of Amendments	5
Summary of Claimed Subject Matter	6
Grounds of Rejection to be Reviewed on Appeal	7
Argument	8
Claims Appendix	A-1
Evidence Appendix	B-1
Related Proceedings Appendix.....	C-1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appl. No. : 10/666,024 Confirmation No. : 7952
Appellant : Reid Hayhow
Filed : 9/18/2003
TC/A.U. : 2138
Examiner : Phung M. Chung

Docket No. : 10030557-1

Mail Stop Appeal Brief – Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

APPEAL BRIEF

Dear Sir:

This Appeal Brief is submitted in response to the Non-Final Office Action mailed January 31, 2008, which action was mailed after the Examiner re-opened prosecution. Prior to the re-opening of prosecution, this application was on appeal.

Appellant filed a Notice of Appeal on April 30, 2008. The Notice of Appeal was received by the Office on May 5, 2008.

Real Party in Interest

The real party in interest is Verigy (Singapore) Pte. Ltd., a Singapore limited liability company.

Related Appeals and Interferences

There are no related appeals and/or interferences.

Status of Claims

Claims 1-16 are pending, all of which stand rejected. The rejections of claims 1-16 are appealed.

A copy of the claims is attached as a Claims Appendix to this Appeal Brief.

Status of Amendments

No amendments were made to the claims subsequent to final rejection. All amendments have been entered.

Summary of Claimed Subject Matter

In one embodiment (claim 1), a method comprises: 1) reading a test file including a plurality of test vectors to be applied to a device (150, FIG. 1) (200, FIG. 2; p. 4, lines 1-3 of par. [0013]); and 2) determining a required memory needed to execute the plurality of test vectors (205, FIG. 2; pp. 4-5, lines 3-8 of par. [0013]).

In another embodiment (claim 10), a system comprises: 1) logic (160, FIG. 1; p. 4, lines 1-6 of par. [0012]) to read a test file including a plurality of test vectors and to determine a required memory needed to execute the plurality of test vectors (200, 205, FIG. 2; pp. 4-5, lines 1-8 of par. [0013]); and 2) a tester (100, FIG. 1), communicatively coupled to the logic, to apply the plurality of test vectors to a device (150, FIG. 1; p. 4, lines 1-5 of par. [0010] and lines 1-7 of par. [0011]).

Ground of Rejection to be Reviewed on Appeal

Whether claims 1-16 should be rejected under 35 USC 103(a) as being unpatentable over Hughes, Jr. (US Pat. No. 4,493,079) in view of Regelman et al. (US Pat. No. 6,574,626).

Argument

Claims 1-16 should not be rejected under 35 USC 103(a) as being unpatentable over Hughes, Jr. (US Pat. No. 4,493,079; hereinafter referred to as "Hughes") in view of Regelman et al. (US Pat. No. 6,574,626; hereinafter referred to as "Regelman").

Claims 1, 7-10, 14 & 15:

With respect to claim 1, the Examiner admits that Hughes fails to disclose "determining a required memory to execute [a] plurality of test vectors". However, the Examiner asserts that Regelman teaches this in col. 2, lines 21-24 & 31-34, and in col. 2, line 60 to col. 3, line 5. Appellant respectfully disagrees.

The excerpts of Regelman referenced by the Examiner state:

In order to properly test larger memories the tester must be equipped with a significant amount of memory to properly store all of the test vectors that comprise a single test program.

Col. 2, lines 21-24.

As test programs increase in size, a natural solution is to merely increase the amount of embedded SRAM in order to accommodate the entire test program.

Col. 2, lines 31-34.

A method for managing execution of a program, wherein the program initiates execution of one or more patterns and one or more of the patterns depend upon one or more software units, downloads a test file into a secondary memory. The test file contains the patterns and the software units that are downloaded into the secondary memory. The process then initiates execution of a called pattern from the available patterns and determines dependencies of the called pattern. The process allocates space in a primary memory for the called pattern and the dependencies. The called pattern and the dependencies are then selectively copied from the secondary memory to the primary memory prior to executing the called pattern.

Col. 2, line 60 - col. 3, line 5.

Although the Examiner matter-of-factly asserts that Regelman teaches “determining a required memory needed to execute [a] plurality of test vectors”, the above excerpts from Regelman do not teach or suggest this. If anything, the above excerpts (and Regelman as a whole) teach away from “determining a required memory needed to execute [a] plurality of test vectors”. Instead, Regelman merely states the “brute force” solution that a tester “must be equipped with a significant amount of memory to properly store all of the test vectors” and “a natural solution is to merely increase the amount of embedded SRAM in order to accommodate the entire test program”. Regelman fails to indicate how one determines how much memory to add, or what happens if there is not enough memory. Instead, Regelman only indicates that a tester better have a “significant amount” of memory to make sure that everything works.

In the last of the preceding excerpts from Regelman, Regelman indicates that, “The process allocates space in a primary memory for the called pattern and the dependencies.” Yet, once again, Regelman does not indicate that any determination is made regarding “a required memory needed to execute [a] plurality of test vectors.” Presumably, Regelman merely uses the “brute force” approach of making sure there is a “significant amount” of memory.

Of course, Regelman could certainly be modified to implement the method of claim 1. However, appellant cannot find any teaching or suggestion to do this in the art of record.

In the past, and given that Regelman does not teach or suggest a step of “determining a required memory needed to execute [a] plurality of test vectors”, the Examiner has asserted that it is “inherent” that Regelman’s system would need to do this. See, e.g., the 1/31/2007 Final Office Action, p. 2, Sec. 3.a. However, appellant disagrees. Appellant notes that there are other ways of dealing with a plurality of test vectors that exceed the storage limitations of a memory. For example, Regelman could attempt to load a plurality of test vectors into memory. If the test vectors do not fit within the memory, a failure could be indicated, and a user could then add a

more "significant amount" of memory and try once again to load the test vectors. Alternately, a user could simply purchase significantly more memory than what he believes is needed, to make sure that the storage requirements of a plurality of test vectors never exceed the size of a tester's memory.

As a result of there being other ways to deal with the problem of a plurality of test vectors exceeding the size of available memory, appellant does not believe it is "inherent" that Regelman *must* "determine" any sort of "required memory needed to execute a plurality of test vectors. This being the case, appellant asserts that Regelman does not teach the step of "determining a required memory needed to execute the plurality of test vectors", and appellant's claim 1 should be allowed over Regelman's teachings.

Claims 7-9 should be allowed, at least, because they depend from claim 1.

Claim 10 should be allowed, at least, for reasons similar to why claim 1 should be allowed.

Claims 14 & 15 should be allowed, at least, because they depend from claim 10.

Claims 2-4 & 11-13:

With respect to claims 2-4, the Examiner asserts that Regelman teaches "determining a required memory needed for each of a plurality of *boards of a tester* to execute the test vectors for the board" (where the Examiner deems Regelman's integrated circuit wafers as "boards of a tester"); "determining a required memory needed for each of a plurality of pins of a tester to execute the test vectors for the pin" (col. 4, lines 5-20); and "counting the number of test vectors for each test in the test file" (col. 2, lines 21-24 and col. 4, lines 42-43). However, although the Examiner has attempted to correlate elements of appellant's claims with elements of Regelman's teachings, the Examiner has not shown where Regelman teaches "determining the required memory" needed for these elements to execute a plurality

of test vectors. This is because Regelman contains no such teaching.

Furthermore, and with respect to claim 2's step of determining a required memory needed for each of a plurality of boards of a tester to execute the test vectors for the board, one of ordinary skill in the art would certainly not equate an "integrated circuit wafer" with a "board of a tester". That is, an integrated circuit wafer might be the "device" to which vectors are applied (see claim 1), but an integrated circuit wafer is not a "board of a tester".

With respect to claim 4, nowhere does Regelman mention or suggest "counting" or a "counter".

Claims 2-4 should be allowed because they depend from claim 1, and for the above additional reasons.

Claims 11-13 should be allowed, at least, for reasons similar to why claims 2-4 should be allowed.

Claims 5 & 6:

Claim 5 recites a very specific method for "determining a required memory needed to execute a plurality of test vectors". The method involves 1) determining a first memory requirement needed for a first pin of a tester to execute the test vectors for a first test in the test file, and then 2) setting the required memory equal to the first memory requirement. Thereafter, and for each additional pin of a tester, 1) a second memory requirement needed for the additional pin to execute the test vectors for the first test is determined, and 2) if the second memory requirement is greater than the first memory requirement, the required memory is set to the second memory requirement.

Although the Examiner asserts that Regelman's col. 20, lines 50-54, teach the method set forth in claim 5, this excerpt contains no such teaching. Rather, this excerpt is directed to a process of overwriting memory when memory is unavailable. Nowhere does Regelman teach that the amount of memory required "to execute a

plurality of test vectors" is determined.

Claim 5 should be allowed because it depends from claim 1, and for the above additional reason.

Claim 6 should be allowed because it depends, ultimately, from claims 1 and 5.

Claim 16:

With respect to claim 16, the Examiner asserts that Regelman teaches “using the required memory to bill a customer” (col. 2, lines 21-24 & 31-34, and col. 2, line 60 - col. 3, line 5). Appellant respectfully disagrees.

All that Regelman discloses is that memory is “costly”. This simple observation does not teach or suggest that a customer should be billed based on a “required memory” needed to execute a plurality of test vectors.

The Examiner further asserts that it would have been obvious to bill a user for “required memory”. However, the Examiner has not provided any evidence to support this assertion.

Conclusion

In summary, the art of record does not teach nor suggest the subject matter of Appellant's claims 1-16. These claims are therefore believed to be allowable.

Respectfully submitted,
HOLLAND & HART, LLP

Claims Appendix

1. A method comprising:

reading a test file including a plurality of test vectors to be applied to a device;
and

determining a required memory needed to execute the plurality of test vectors.

2. The method of claim 1, wherein determining a required memory comprises
determining a required memory needed for each of a plurality of boards of a tester to
execute the test vectors for the board.

3. The method of claim 1, wherein determining a required memory comprises
determining a required memory needed for each of a plurality of pins of a tester to
execute the test vectors for the pin.

4. The method of claim 1, wherein determining a required memory comprises
counting the number of test vectors for each test in the test file.

5. The method of claim 1, wherein determining a required memory comprises:
determining a first memory requirement needed for a first pin of a tester to
execute the test vectors for a first test in the test file;
setting the required memory equal to the first memory requirement; and
for each additional pin of the tester,

determining a second memory requirement needed for the additional pin to execute the test vectors for the first test; and if the second memory requirement is greater than the first memory requirement, setting the required memory equal to the second memory requirement.

6. The method of claim 5, further comprising for each additional test in the test file:

for each pin of the tester, determining a third memory requirement for the pin to execute the test vectors for the additional test; and setting the required memory equal to the third memory requirement if the third memory requirement is greater than the required memory.

7. The method of claim 1, further comprising if the required memory exceeds an existing memory allotment, increasing the allotment of memory.

8. The method of claim 1, further comprising if the required memory exceeds an existing memory allotment, notifying a user of an amount of additional memory required.

9. The method of claim 1, wherein the device comprises a system-on-a-chip (SOC).

10. A system comprising:

logic to read a test file including a plurality of test vectors and to determine a required memory needed to execute the plurality of test vectors; and
a tester, communicatively coupled to the logic, to apply the plurality of test vectors to a device.

11. The system of claim 10, wherein the tester includes a plurality of boards, and wherein the logic is to determine a required memory needed for each board of a tester to execute the test vectors for the board.

12. The system of claim 10, wherein the tester includes a plurality of boards, each board including a plurality of pins; and wherein the logic is to determine a required memory needed for each pin to execute the test vectors for the pin.

13. The system of claim 10, wherein the logic is to determine the required memory by counting the number of test vectors for each test in the test file.

14. The system of claim 10, further comprising a user interface to notify the user of an amount of additional memory required if the required memory exceeds an existing memory allotment.

15. The system of claim 10, wherein the tester comprises a system-on-a-chip (SOC) tester.

16. The method of claim 1, further comprising using the required memory to bill a customer.

Evidence Appendix

None.

Related Proceedings Appendix

None.